



INTERIOR MILLWORK

COLLECTION



ask for
AMERICAN-MADE DOORS



INTERIOR MILLWORK COLLECTION

Superior building materials, dedicated customer service, and support since 1903. Badger's commitment is uncompromised, and the materials that we select are of the highest quality in the industry. Discover our interior millwork collection and choose from endless combinations of options for a lifetime of memories that fits the way you live.

4	interior millwork system
6	built to last
8	its about the finish
10	wood species
11	stain & paint colors
12	interior doors
14	flat & raised panel doors
16	stile profiles
17	fire-rated house-to-garage doors
17	pocket door frames
18	molded panel doors
19	flush doors
22	pantry doors
22	louvered doors
23	glass doors
24	barn doors
26	wood storm & screen doors
27	crossheads/toppers
28	custom millwork
32	levers, knobs, keypads & hinges
34	moulding
36	casing
39	back band
40	classic colonial casing & base
42	base
45	T-astragal
46	crown & crown blocks
46	bed moulding
48	cove
49	round moulding
50	base block & radius base block
52	base cap & base shoe
53	stop
54	rosette & plinth block
55	outside corner
55	screen moulding
55	mull center & lattice
56	panel moulding & chair rail
57	panel cap
58	stair parts
60	wood newels & balusters
64	box newels
66	iron balusters
72	iron accessories
73	floor transitions, wall moulding, handrail & brackets
74	fittings & starting steps
75	false thread, threads, risers, shoe rail & stair lineals
76	commercial millwork
77	door handing
78	molded panel doors design & size options

A complete interior millwork system that *works* together

Customize every last detail



Select Wood Species & Color

Explore our diverse color collections, prefinished for long-lasting durability and vivid color. Choose from a variety of wood species, stain and paint colors to fit your style.

[learn more on page 10](#)



Select Interior Doors

Interior doors are a necessity for any space – perfect for defining spaces and providing privacy. Discover endless combinations of door configurations, species and colors. Customize your door to fit any space and your needs.


[learn more on page 12](#)



Select Mouldings

Mouldings give walls and spaces a finished look, and can transform a room to highlight architecture details and create instant character. Discover the wide variety of profiles.

[learn more on page 34](#)



Select Stair Parts

Stair parts serve more than a functional purpose – they give stairs a visual presence and make a staircase a work of art. From crisp clean lines, elegant curves to timeless traditional design, choose from a wide variety of style options.

[learn more on page 58](#)



BUILT TO LAST

Badger millwork is built to last. Each piece is meticulously tracked and completed throughout each stage of production. Quality materials and handcrafted details come together in the production process, carefully hand-assembled and packaged, ready for delivery. This unique balance of automation and skilled hand-craftsmanship is one of the things that sets Badger Corrugating apart. The end result - Badger millwork is designed to deliver superior performance, long-lasting durability and beauty, low maintenance and easy installation.



efficient
PACKAGING

Our packaged systems makes installation at the jobsite go a lot easier:

- all prehangs are individually labeled for: door species, style, size, swing, specific machining and room labeled if requested
- customers can unload pallets off our trucks and deliver right to their jobsite — less handling results in less damage, time efficiency and money saved for customers
- shrink wrapped to help prevent damage from the elements
- packaged so one door can be pulled off at a time without the rest falling off the pallet
- packaging caters to all of our customers whether they are being delivered to: jobsite or lumberyard





its about the
FINISH

durable,
beautiful finish
enhancing
natural woodgrain

Finish Formula

pigmented stain - pigment gives the stain its color. Resin binds it to the surface. Together, they form the stain's colorant. Badger mixes the stain, then sprays and hand-wipes.

pre-catalyzed lacquer - a precatalyzed lacquer is applied as a sealer, crosslinked for good stain and chemical resistance.

water acrylic topcoat - this formula produces a clear, transparent appearance and a hard, scratch-resistant finish. For molded panel doors, they are scuffed and a second coat of primer is applied.

Surface Prep & Handling

machine first - doors are machined before finishing to seal all cavities and to avoid exposing raw fibers.

hand & machine sanded - sanded both by hand and an automatic buffer.


fitted header stop - the header stop is custom cut and "spring" into place for tight, mitered corners.

palletizing - palleting eliminates double handling and protects against shipping damage.


WOOD SPECIES

From natural woods with grains and knots to sleek compound materials, choose from a full range of wood species.


Wood Species



Maple
subtle uniform grain pattern



Oak
distinct grain pattern & variation




Quarter Sawn Oak
straight grain & dramatic flecking




Poplar
tight grain & even texture



Pine
light/dark grain pattern



Knotty Pine
knots & moderate grain pattern




Hickory
fine & contrasting grain pattern



Knotty Alder
knots & fine grain pattern




Clear Alder
fine grain pattern



Hemlock
fine & straight grain pattern



Cherry
fine & tight grain distinctive markings



Birch
tight & heavy grain pattern



Molded Panel
composite wood primed

Discover your perfect
COLOR



customize your color

Can't find the right color? Get the right color with customized color matching available to match almost any sample provided. Our color experts are committed to creating your perfect color. Explore the endless possibilities with Badger Corrugating.

STAIN & PAINT COLORS

Color collections designed to complement any decor - from modern to traditional, sophisticated to rustic. Capture yours by choosing from a diverse selection of stain and paint colors, prefinished for long-lasting vivid colors and to withstand day-to-day active living. Each piece is meticulously prefinished by skilled artisans who expertly complete the stain and paint process.

Stain Colors



Natural



Whitewash



Sand



Golden



Autumn



Nutmeg



Toffee



True Grain



Sunburn



Fire



Nadia



Rue



Amber



Walnut



Mocha



Moose



Mud



Violet



Mistless



Java Bean



Brown Sugar



Chili Powder



Coffee



Black Pepper

match all millwork with a single color
or accent with multiple colors

Paint Colors



White



Cream



Lite Chocolate



Dusty



Cement



Sage



Maritime



Greystone



Black



Black Wash

color samples shown on oak Due to printing limitations, actual colors may vary slightly from those shown. Please refer to a color sample for accurate colors. Final product may vary slightly.


INTERIOR DOORS




Interior doors are a necessity for any space – perfect for defining spaces and providing privacy. Combining function with personalized style for beautifully crafted doors. Discover endless combinations of door configurations, species and colors. Badger interior doors are available in a variety of designs, from modern to traditional, customize your door to fit any space and fit your needs.




FLAT & RAISED PANEL WOOD DOORS




2 panel flat
SL-20
O, M, R




2 panel arch raised
SL-20A
O, M, KA, R




2 panel arch plank
raised SL-20-RVA
KP




3 panel craftsman flat
SL-34
O, M, R, H, KP, KA, RO




4 panel raised
SL-40
O, M, R, P




5 panel flat
SL-52
R




6 panel rased
SL-60
O, M, R, H, KP, P




2 panel raised
SL-20




1 panel flat
SL-10




3 panel raised
SL-33




3 panel flat
SL-35




3 panel flat
SL-30




4 panel flat
SL-40




4 panel flat
SL-45




6 panel raised
SL-60-A



primed MDF-2P



primed MDF-3PC




primed MDF-3P




flat panel raised panel




Additional door styles - available in all species.




SL-21




SL-22




SL-30




SL-31




SL-32




SL-33




SL-35




SL-36




SL-37




SL-42




SL-43




SL-44




SL-45




SL-46




SL-40




SL-47




SL-50




SL-53




SL-61




SL-62




SL-63




SL-66




SL-67




SL-70




SL-100




SL-92




SL-89




SL-10A




SL-20A




SL-21C




SL-22A




SL-33C




SL-34C




SL-35A




SL-36A




SL-40C




SL-42C




SL-43A




SL-46A




SL-50C




SL-60C



SL-61A



SL-62A



SL-89C

available species:

red oak, knotty oak & white oak
1/4 sawn red & 1/4 sawn white oak
maple & rustic maple
cherry & rustic cherry

alder & knotty alder
pine & knotty pine
hickory & knotty hickory
white poplar, SG poplar & PG poplar

birch
walnut
mahogany
ash & black ash

sapele
doug fir
lyptus
beech

available in 1-3/8" & 1-3/4" profiles
all styles available in 6/8, 7/0 & 8/0 heights



MADE IN AMERICA

STILE PROFILES

1-3/8" STILE PROFILES

Raised Panel Options



profile: 5282
3/4" veneered raised panel



Lag bolt construction is a signature feature. Bored through door edges to secure stiles and rails, these long metal bolts are far stronger than wood dowels used by other manufacturers, and guard against joint separation.

Flat Panel Options



profile: 5426
3/8" veneered flat panel



profile: 5925
3/8" veneered flat panel



standard
profile: 8315
3/8" veneered flat panel



1-3/4" STILE PROFILES

The Imperial Series are handcrafted 1-3/4" wood doors with solid wood sticking and use lag bolts that are bored in from the door edges to secure stiles and rails for exceptional structural stability. Built to withstand of everyday use without sagging or separating. Matching wood plugs are inserted to cover the boring hole.

Raised Panel Options



profile: 2681
1" veneered raised panel

Flat Panel Options



profile: 2681
3/8" veneered flat panel



profile: 8315
3/8" veneered flat panel



profile: 8781
3/8" veneered flat panel

Available veneers include: Red Oak, Ponderosa Pine, Poplar, Birch, Knotty Pine, Cherry, Mahogany, Maple, Douglas Fir, Hickory, Walnut, Ash, Knotty Alder and more.

More sticking/panel options see badgerlax.com
16 | Badger Interior Millwork Catalog

FIRE-RATED HOUSE-TO-GARAGE DOORS

Fire-rated house-to-garage entrance doors keep your family safe without sacrificing style. Match your interior doors and your house-to-garage door - no more ugly 6 panel house-to-garage door! Choose from various panel configurations and species.



All door styles on 14 & 15 are available as fire-rated doors!



flush doors
PS oak 6/8: 2/6-2/8-3/0
7/0: 2/8-3/0
RC maple 6/8: 2/6-2/8-3/0
7/0: 2/8-3/0
RC birch 6/8: 3/0



molded embossed
3/0 x 6/8
6 panel raised Mesa
Flush Chesapeake

protection
& lots of style

jamb options



20-minute
flat jamb applied stop



45/60/90-minute
single rabbet, gasket



20-minute
single rabbet



45/60/90-minute
flat jamb applied stop

POCKET DOOR FRAMES

Pre-fabricated pocket door frames can be ordered in custom sizes and built to the opening.

- Pre-fab frame
- Fast installation
- 80 lb capacity
- 1 3/8" doors (1 3/4" special order)
- Stock widths
6/8: 2/0, 2/4, 2/6, 2/8, 3/0
7/0: 3/0
- Custom sizes in any increment



Johnson #1500 KD Pocket Frame


- 125 lb cap, 1 3/8" thick doors, 3/0 width
- Knocked-down, boxed, assemble at jobsite



badgerlax.com | 17

MOLDED PANEL DOORS

available in solid and hollow core



Lincoln Park **S** Logan **S** Winslow **S**

Heritage® Series

Combines the classic lines of wood shaker doors with the durability of molded panel engineering.



Berkley Hamel Melrose

West End Collection®

Modern designs complement a variety of decors



see page 78 for design and size options



Conmore **S**



available in solid and hollow core



Cheyenne 2 panel camber-top plank smooth raised **S** Riverside 5 panel equal smooth raised **S** Saddlebrook

Select™ Series

Features lines distinguish architectural correctness of authentic stile & rail wood doors.



2 panel raised **S** 2 panel roman raised **S** 2 panel arch-top raised smooth & textured 3 panel raised textured only

Classics



4 panel raised smooth only **S** 4 panel arch-top raised textured only 6 panel raised smooth & textured **S**


safe'n'sound® SOLID CORE DOORS

- solid core doors quiet a home more than hollow core doors
- offers the durability, heft and feel of real wood
- engineered from wheat straw, an annually renewable resource


FLUSH DOORS

A perfect option for small budget renovations offering the beauty and refinement of an authentic woodgrain finish. Available in solid- and hollow-core construction in 1-3/8" or 1-3/4" thickness. 20-, 45-, 60- and 90-minute fire-rating available in 1-3/4" thickness.

Hardboard & Wood Veneer Flush Doors



Prefinished Flush Doors



6 Panel Prefinished Doors




PANTRY DOORS




GLASS DOORS

Pairing an interior door with decorative textured glass provides privacy while still allowing the transmission of light. Clear glass also available.




Customize glass with a picture or logo

LOUVERED DOORS



Versatile louvered doors can be used in a variety of settings. Stiles and rails are proportioned to match panel door line for a consistent look. Available in raised or flat panel, all specie options and in 1-3/8" or 1-3/4" doors.





functional + stylish BARN DOORS



Barn doors are versatile to divide any space while adding stylish character. Choose from rustic and distressed, to bold and modern.

barn door hardware

Choose from three stylish track options. Available in matte black and stainless steel finishes.

For openings up to 36", double door applications requires 2 kits. For use with 1-3/8" solid core flush, solid core molded and wood doors (not to be used with hollow core doors). Kit contains everything needed for concrete wall application.

Finishes



matte black



stainless steel


Designs



straight strap



bent strap



S top mount

Kit



- | | |
|--|--------------------------------------|
| 1 instruction guide | 2 #8 floor screws (4.2mm x 35mm) |
| 1 rail | 2 1/4 floor anchors (6mm) |
| 2 straps | 2 internal floor-mounted door guides |
| 5 wall spacers | 1 wall-mounted door guide |
| 2 anti-jump blocks | 2 floor-mounted door guides |
| 1 right stopper | |
| 1 left stopper | |
| 5 5/16 carriage bolts (8mm x 60mm) with anchor | |
| 5 5/16 wall screws (8mm x 90mm) | |




WOOD STORM & SCREEN DOORS

Made from the natural beauty of wood, Easy-Change Wood Combination Doors are handcrafted with precision and pride. Easily customized with a decorative or designer grille.




classic b 2/8, 3/0 S countryside #55 2/8, 3/0 S Oak ultra-vu 2/8, 3/0 S traditional #50 2/8, 3/0 S #52 screen door 2/8, 3/0 S


customize a classic B or countryside #55 door with one of these grilles:



customize a traditional #50 door with one of these grilles:



customize a ultra-vu door with one of these grilles:



CROSSHEADS / TOPPERS

Decorate your home with a decorative door toppers. Decorative door toppers sit gracefully above a doorway or window and add a unique touch to your home.



IM1-CH141



IM1-CH143




IM1-CH142



IM1-CH145



IM1-CH144




IM1-CH140 IM1-CH141 IM1-CH142 IM1-CH143 IM1-CH144 IM1-CH145 IM1-CH146 IM1-CH147 IM1-CH148 IM1-CH149 IM1-CH150



Custom crossheads are available to your specifications.

customized STATEMENT DOORS



EXPLORE THE ENDLESS POSSIBILITIES



CUSTOM MILLWORK

At Badger Corrugating, we offer handcrafted custom millwork. Whether you have a renovation or restoration project requiring a match, or a new custom project that needs something to capture unique style, we cater to original designs. Specialty woods, materials, finishes, sheens, distressing options, special effects – allowing the ability to create a one-of-kind style. These materials and finish options add to the hand-finished characteristics of each piece.

Since 1903, Badger has been manufacturing custom products to fit many applications. The tradition continues with millwork. With over 100 years of custom woodworking experience – skilled and passionate craftsmen offer flexibility of custom millwork solutions. Many of our customers have come to learn and enjoy the ability to customize a project resulting in a quality prefinished product delivered ready-to-install.



Handcrafted custom millwork
one-stop shop offering:

- custom moulding
- thresholds
- barn door customization
- statement doors
- crossheads/toppers
- transoms
- beam wraps
- mantle boards
- interior door & sidelite systems
- window stools
- custom backbands
- cabinet accent pieces
- commercial door systems
- and much more

LEVERS, KNOBS & KEYPADS

From traditional to contemporary, choose from various styles and finishes to match your style. Various lever and knobs available in passage, privacy and dummy pulls.

LEVERS




KNOBS



STOCK LEVERS, KNOBS & KEYPADS



AVAILABLE FINISHES



Due to printing limitations, actual colors may vary slightly from those shown. Please refer to a color sample for accurate colors. Final product may vary slightly.

Intelligent Security


Superior door security, just a tap away. Enjoy convenience and security with our electronic and keyless solutions.




Plain & Ball Bearing Hinges

- Ball bearing hinges provide a smooth quiet close without hinge dust accumulating
- Spring hinge available
- Available in a wide selection of finishes

AVAILABLE FINISHES




Pivot Hinge



MOULDING



Mouldings give walls and spaces a finished look, and can transform a room to highlight architectural details and create instant character. We carry many different mouldings such as baseboard, casing, crown moulding and more. Discover the wide variety of profiles.



.....timeless beauty for your home & office.

**FERCHE
MILLWORK**

CASING

Used around door and window openings.



1/2" x 1-5/8"
Menzner MC-22



5/8" x 2-3/4"
Menzner MC-723 **S** O

9/16" x 2-1/4"
Menzner MC-6



1/2" x 2-1/8"
Menzner MC-14A



9/16" x 2-1/4"
Menzner MC-1



9/16" x 2-1/4"
Menzner MC-2



9/16" x 2-1/4"
Menzner MC-3



9/16" x 2-1/4"
Menzner MC-18



9/16" x 2-1/4"
Menzner MC-25A



9/16" x 2-1/4"
Menzner MC-311

1/2" x 2-1/4"
Menzner MC-18A

1/2" x 2-1/4"
Menzner MC-25



1/2" x 2-1/4"
Menzner MC-2A **S** O, M, R, C
Ferche F118



1/2" x 2-1/4"
Menzner MC-13 **S** O, M, KA, P, H, R
Ferche F115



9/16" x 2-3/4"
Menzner MC-71



9/16" x 2-3/4"
Menzner MC-77



3/4" x 2-3/4"
Menzner MC-62



3/4" x 3"
Menzner MC-46



3/4" x 3"
Menzner MC-60



3/4" x 3"
Menzner MC-67



11/16" x 3-1/4"
Menzner MC-19



11/16" x 3-1/4"
Menzner MC-39
Ferche F132



11/16" x 3-1/4"
Menzner MC-47 **S** M, PP
Ferche F131 O



9/16" x 3-1/4"
Menzner MC-40 **S** M, R, KA, H
Ferche F134 O



9/16" x 3-1/4"
Menzner MC-42



1/2" x 3-1/4"
Menzner MC-41
Ferche F136



13/16" x 3-1/4"
Menzner MC-65



CASING


Used around door and window openings.



7/8" x 3-1/2"
Menzner MC-57



3/4" x 3-1/2"
Menzner MC-16



1 1/16" x 2-1/2"
Menzner MC-14
Ferche F126



5/8" x 2-1/4"
Menzner MC-1
Ferche F107



HOOKSTRIP CASING

Used around door and window openings.



3/8" x 2-1/4"
Menzner MC-4A

7/16" x 2-1/4"
Menzner MC-4
Ferche F156



3/4" x 2-1/4"
Menzner MC-5A

9/16" x 2-1/4"
Menzner MC-5
Ferche F157 **S** O, M, P, KA, R, KP
H



9/16" x 2-1/2"
Menzner MC-28
Ferche F154



7/16" x 3-1/4"
Menzner MC-34
Ferche F1563

1/2" x 3-1/4"
Menzner MC-34C **S** O, M
Ferche F1544

9/16" x 3-1/4"
Menzner MC-38 **S** KA, P, PP



BACK BAND

A narrow, rabbeted moulding used in conjunction with baseboard moulding and applied to the outside corner and edge of interior window and door casing or along the floor to create a heavy trim look; this increases both the ornamentation as well as the width of the trim.



3/4" x 1-1/16"
Menzner M-891A, Ferche F194



1-1/4" x 1-1/16"
Menzner M-900, Ferche F196



Oak = O
Hard Maple = M
Pine = P
Poplar = R
Hickory = H
Knotty Alder = KA
Cherry = C
Knotty Pine = KP
Primed Polar = PP



Oak = O
Hard Maple = M
Pine = P
Poplar = R
Hickory = H
Knotty Alder = KA
Cherry = C
Knotty Pine = KP
Primed Polar = PP



CLASSIC COLONIAL CASING & BASE

Used around door and window openings.



3/8" x 2-1/4"
Menzner MRC-72



9/16" x 2-3/4"
Menzner MRC-50



3/4" x 3-1/4"
Menzner MRC-100



11/16" x 3-1/4"
Menzner MCI-1598



3/8" x 3-1/4"
Menzner MRB-72



1/16" x 3-1/4"
Ferche F160



11/16" x 3-1/4"
Menzner MCI-1000
Ferche F169



3/8" x 1-1/2"
Menzner MINS-100
Ferche F169B



11/16" x 3-7/8"
Menzner MB-29



3/8" x 1-1/2"
Menzner MINS-500
Ferche F169A



Oak = O
Hard Maple = M
Pine = P
Poplar = R
Knotty Alder = KA
Cherry = C
Knotty Pine = KP
Primed Poplar = PP



BASE

Applied around the lower perimeter of the room along a finished floor.



- 3/8" x 2-5/8"

Menzner MB-2
Ferche F205
- 3/8" x 2-3/4"

Menzner MB-3
Ferche F206
- 3/8" x 3"

Menzner MB-4
Ferche F207
- 3/8" x 3-1/4"

Menzner MB-5
Ferche F208
- 7/16" x 2-3/4"

Menzner MB-9
Ferche F202
- 7/16" x 3"

Menzner MB-10
Ferche F203
- 7/16" x 3-1/4"

Menzner MB-11
Ferche F204
- 1/2" x 3-1/4"

Menzner MB-11A



- 3/8" x 2-5/8"

Menzner MB-2C
- 3/8" x 2-3/4"

Menzner MB-3C
Ferche F219
- 3/8" x 3"

Menzner MB-4C
- 3/8" x 3-1/4"

Menzner MB-5C
Ferche F217
- 7/16" x 2-3/4"

Menzner MB-9C
- 7/16" x 3"

Menzner MB-10C
- 7/16" x 3-1/4"

Menzner MB-11C
- 1/2" x 3-1/4"

Menzner MB-11B



- 3/8" x 3-1/4"

Menzner MB-17
Ferche F2352
- 7/16" x 2-3/4"

Menzner MB-18,
Ferche F236
- 7/16" x 3"

Menzner MB-19
Ferche F237
- 7/16" x 3-1/4"

Menzner MB-20
Ferche F238
- 1/2" x 2-3/4"

Menzner MB-46
- 1/2" x 3"

Menzner MB-47
- 7/16" x 4-1/4"

Menzner MB-20B
Ferche F2363



1/2" x 3-1/4"
Menzner MB-48
Ferche F243



7/16" x 4-1/4"
Menzner MB-33



5/8" x 4"
Menzner MB-67



7/16" x 4-1/4"
Menzner MB-49

9/16" x 4-1/4"
Menzner M-49A



3/4" x 4-1/4"
Menzner MB-85



7/16" x 4"
Menzner MB-208



1/2" x 4-1/4"
Menzner MB-42
Ferche F2046



7/16" x 4-1/4"
Menzner MB-31

9/16" x 4-1/4"
Menzner MB-31A



7/16" x 4-1/4"
Menzner MB-50
Ferche F225

9/16" x 4-1/4"
Menzner MB-50A



9/16" x 4-1/2"
Menzner MB-90



BASE

Applied around the lower perimeter of the room along a finished floor.



11/16" x 4-1/2"
Menzner MB-95



13/16" x 4-1/2"
Menzner MB-100



11/16" x 5-1/4"
Menzner MB-525



9/16" x 6"
Menzner MB-32

RABBETED BASE

Enhances the look of traditional panels. The rabbet sits on the back of another piece of moulding to add emphasis, making it appear more significant.



7/16" x 2-3/4"
Menzner MWB-1



T-ASTRAGAL

An interior moulding attached to a pair of doors or sash in order to prevent swing-through. ensures a tight fit where the doors meet; rabbeted to the approximate thickness of the swinging door.



1-1/4" x 2"
{ 1-3/8" door }
Menzner M-650



1-1/4" x 2-3/8"
{ 1-3/4" door }
Menzner M-650A



1-1/4" x 2"
{ 1-3/8" door }
Menzner M-652




1-1/4" x 2-13/32"
{ 1-3/4" door }
Menzner M-652A




1-1/8" x 1-15/16"
{ 1-3/8" door }
Menzner M-654



1-1/2" x 3"
{ 1-3/4" door }
Menzner M-660A



1-1/4" x 2-1/16"
{ 1-3/8" doors }
Menzner M-652
Ferche F324



1-1/4" x 2-3/8"
{ 1-3/4" doors }
Menzner M-652A
Ferche F323



Oak = O
Hard Maple = M
Pine = P
Poplar = R
Hickory = H

Knotty Alder = KA
Cherry = C
Knotty Pine = KP
Primed Polar = PP

S O, M, P
KA, R, H, C

S O, M, P
H, C

Oak = O
Hard Maple = M
Pine = P
Poplar = R
Hickory = H

Knotty Alder = KA
Cherry = C
Knotty Pine = KP
Primed Polar = PP

CROWN

Used to cover the intersection where the walls and the ceiling meet for a decorative look.



9/16" x 2-1/4"
Menzner M-409 **S** O, M
Ferche F608


11/16" x 3-7/16"
Menzner M-420 **S** O, M, R
Ferche F610

3/4" x 3-1/4"
Menzner M-401

11/16" x 4-1/4"
Menzner M-414 **S** O, M, R (9" pieces only)
Ferche F614

9/16" x 3-3/8"
Menzner M-412

11/16" x 4-5/8"
Menzner M-402



3/4" x 3-5/8"
Ferche F611 **S** O



25/32" x 4-1/2"
Menzner M-425



9/16" x 5-1/4"
Menzner M-668



3/4" x 6"
Menzner M-430



1-1/16" x 7-3/8"
Menzner M-440



CROWN BLOCKS

Adds a decorative touch to crown moulding.



inside corner blocks for
M-401 3-1/4" crown
Menzner M-401L

inside corner blocks
for M-402 4-5/8" crown
Menzner M-4021

inside corner blocks
for M-412 3-3/8" crown
Menzner M-4121



middle end cap blocks
for M-401 3-1/4" crown
Menzner M-401M

middle end cap blocks
for M-402 4-5/8" crown
Menzner M-402M

middle end cap blocks
for M-412 3-3/8" crown
Menzner M-412M



outside corner blocks
for M-401 3-1/4" crown
Menzner M-4010

outside corner blocks
for M-402 4-5/8" crown
Menzner M-4020

outside corner blocks
for M-412 3-3/8" crown
Menzner M-4120



BED MOULDING

Used where walls and ceiling meet.



3/4" x 2-1/4"
Menzner MBM-1



9/16" x 1-3/4"
Menzner MBM-6 **S** O
Ferche F604

Oak = O
Hard Maple = M
Pine = P
Poplar = R
Hickory = H
Knotty Alder = KA
Cherry = C
Knotty Pine = KP
Primed Polar = PP



Oak = O
Hard Maple = M
Pine = P
Poplar = R
Hickory = H
Knotty Alder = KA
Cherry = C
Knotty Pine = KP
Primed Polar = PP

COVE

A concave profile used to soften the transition between two planes at right angles to each other. It may be used as a crown around the ceiling or on the inside of a vertical corner as a corner guard.



1/2" x 1/2"
Menzner M-304 **S** O, M
Ferche F600


3/4" x 3/4"
Menzner M-301 **S** M, R, PP, H
Ferche F601



1 1/16" x 1-1/8"
WM94 **S** P



9/16" x 1-3/4"
Menzner M-305 **S** P
Ferche F605



1-1/16" x 5-3/8"
Menzner M-434
Ferche F613



3/4" x 1-3/4"
Menzner M-303



3/4" x 1-1/4"
Menzner M-310
Ferche F602



5/8" x 3/4"
Menzner M-306



9/16" x 2"
Menzner M-311
Ferche F606

Oak = O
Hard Maple = M
Pine = P
Poplar = R
Hickory = H

Knotty Alder = KA
Cherry = C
Knotty Pine = KP
Primed Polar = PP



ROUND MOULDING

Quarter round is 1/4 of a full circle rod and may be used as a base shoe or inside-corner moulding. Half round is used along the edge of cabinetry can tie in all the design elements in a room. Full round is rod-shaped millwork used as closet poles, curtain rods and towel bars.

QUARTER ROUND



3/8" x 3/8"
Menzner M-202

1/2" x 1/2"
Menzner M-200 **S** O, M, P, R
Ferche F662

3/4" x 3/4"
Menzner M-201 **S** M, P, R
Ferche F661

FULL ROUND



2" x 2" glued
Menzner M-850
Ferche F922

1-1/2" x 1-1/2" glued
Menzner M-851
Ferche F921

1-5/16" x 1-15/16"
Menzner M-852
Ferche F920

1" x 1"
Menzner M-853
Ferche F919

3/4" x 3/4"
Menzner M-854
Ferche F918

HALF ROUND




3/8" x 3/4"
Menzner M-860
Ferche F940

1/2" x 1"
Menzner M-861
Ferche F941


3/4" x 1-1/2"
Menzner M-862
Ferche F942

1" x 2"
Menzner M-863
Ferche F943

WALL RAIL



1-5/8" x 1-3/4"
Menzner M-301 **S** O, M, P, R
Ferche F901



1-1/4" x 2-1/4"
Menzner M-6042
Ferche F904

Oak = O
Hard Maple = M
Pine = P
Poplar = R
Hickory = H

Knotty Alder = KA
Cherry = C
Knotty Pine = KP
Primed Polar = PP



BASE BLOCK

Adds a decorative touch to base moulding.



1-1/8" x 1-1/8" x 6-1/2"
Menzner MIS-610



1-1/8" x 1-1/8" x 6-1/2"
Menzner MOC-710




1-1/8" x 1-1/8" x 6-1/2"
Menzner MMB-105

1-1/8" x 1-1/8" x 5"
Menzner MIS-612

1-1/8" x 1-1/8" x 5"
Menzner MOC-712

1-1/8" x 1-1/8" x 5"
Menzner MMB-812

BASE COMPONENTS



3/4" x 3/4" x 8"
Ferche F285A **S** O



1-1/2" x 1-1/2" x 8"
Ferche F286A **S** O

Oak = O
Hard Maple = M
Pine = P
Poplar = R
Hickory = H

Knotty Alder = KA
Cherry = C
Knotty Pine = KP
Primed Polar = PP

RADIUS BASE BLOCK

Adds a decorative touch to base moulding.



.775" x 1.94" x 3"
Menzner MOC-510

.775" x 1.94" x 3-1/2"
Menzner MOC-512

.775" x 1.94" x 4"
Menzner MOC-513

.775" x 1.94" x 4-1/2"
Menzner MOC-514

.775" x 1.94" x 5"
Menzner MOC-515

.775" x 1.94" x 6"
Menzner MOC-516

.775" x 1.94" x 6-1/2"
Menzner MOC-517



Oak = O
Hard Maple = M
Pine = P
Poplar = R
Hickory = H

Knotty Alder = KA
Cherry = C
Knotty Pine = KP
Primed Polar = PP

BASE CAP

A moulding applied atop a piece of base moulding flush with the wall to create a decorative look. It's sometimes used with baseboard. Base cap may also be used as a panel moulding or multipurpose profile.



5/8" x 3/4"
Menzner M-102
Ferche F240A



1/2" x 3/4"
Menzner M-105
Ferche F726



9/16" x 1-3/8"
Menzner M-180A



11/16" x 1-3/8"
Menzner M-102 **S** O, M
Ferche F240B



STOP

Holds the bottom sash of a double-hung window in place and can also be used as an apron under window stools. In door trim, a stop is nailed to the faces of the door frame to prevent the door from swinging through the frame.



7/16" x 1-3/8"
Menzner MS-3



3/4" x 1-5/8"
Menzner MS-5 **S** O, M
Ferche F313



3/8" x 1-1/16"
Menzner MS-20
Ferche F301

3/8" x 1-1/4"

Menzner MS-11 **S** O, M, P, KA, R
Ferche F305 H, C

7/16" x 1-3/8"

Menzner MS-17
Ferche F302



1/2" x 1-1/2"
Menzner MS-4 **S** O, M
wall pocket



3/8" x 1-1/16"
Menzner MS-21
Ferche F312

3/8" x 1-1/4"

Menzner MS-7 **S** O, M, KA, R
Ferche F306 KP, H, C

7/16" x 1-3/8"

Menzner MS-28
Ferche F303



3/8" x 1-1/4"
Menzner MS-2



7/16" x 1-5/8"
Menzner MS-31
Ferche F311



BASE SHOE

A narrow moulding providing a transition between finished floors and walls or cabinets; it protects the base from damage and conceals uneven lines or cracks where the base meets the floor. Shoe moulding may be used in place of quarter round.



1/2" x 3/4"
Menzner M-101 **S** O, M, P, KA, R
Ferche200 H, C

ROSETTE & PLINTH BLOCK

A rosette is a decorative wood plaque used at the intersection of two materials, used as ornamental decoration at the bottom of window or door jambs. A plinth block is thicker and wider than door casing and used as part of the door trim at the base to enhance the appearance.



- 1-1/16" x 3-1/2" x 3-1/2"
Menzner MCB-105, Ferche F165
- 15/16" x 3-1/2" x 3-1/2"
Ferche F165 **S** O, M
- 7/8" x 4-1/4" x 4-1/4"
Menzner MCB-210
- 7/8" x 3-3/4" x 3-3/4"
Menzner MCB-207
- 7/8" x 3-1/2" x 3-1/2"
Menzner MCB-205
- 3/4" x 3-1/2" x 3-1/2"
Menzner MCB-305
- 3/4" x 3" x 3"
Menzner MCB-303
- 3/4" x 2-1/2" x 2-1/2"
Menzner MCB-302
- 5/8" x 2-1/2" x 2-1/2"
Menzner MCB-301

- 1-1/16" x 3-1/2" x 6-1/2"
Menzner MBB-105
- 1-1/16" x 2-3/4" x 6"
Ferche F176
- 15/16" x 2-3/4" x 6"
Ferche F176 **S** O
- 15/16" x 3-1/2" x 8"
Ferche F166 **S** O, M

- 7/8" x 4-1/4" x 6-1/2"
Menzner MBB-210
- 7/8" x 3-3/4" x 6-1/2"
Menzner MBB-207
- 7/8" x 3-1/2" x 6-1/2"
Menzner MBB-205
- 3/4" x 3-1/2" x 6-1/2"
Menzner MBB-305
- 3/4" x 3" x 5"
Menzner MBB-303
- 3/4" x 2-1/2" x 2 1/2"
Menzner MBB-302
- 5/8" x 2-1/2" x 2-1/2"
Menzner MBB-301

Oak = O
Hard Maple = M
Pine = P
Poplar = R
Hickory = H

Knotty Alder = KA
Cherry = C
Knotty Pine = KP
Primed Polar = PP

S stock

MISC. MOULDING

OUTSIDE CORNER

Used to protect corners.



- 3/4" x 3/4"
Menzner M-702
Ferche F651 **S** O, P
- 1-1/16" x 1-1/16"
Menzner M-701
Ferche F652 **S** O, M



- 3/4" x 3/4"
Menzner M-704
- 1-1/16" x 1-1/16"
Menzner M-703
Ferche F655

- 1-1/8" x 1-1/8"
WM205 **S** P

- 1-5/16" x 1-5/16"
WM204 **S** P

SCREEN MOULDING

Traditionally used to hold mesh screening into a wood frame, edge trim on shelving or as wood trim for wallpaper.



- 1/4" x 3/4"
Menzner MSM-7
Ferche F520 **S** P



- 1/4" x 3/4"
Menzner MSM-8

MULL CENTER & LATTICE

A thin moulding used in lattice work of for a mull center.



- 3/16" x 1-1/2"
Menzner MM-1
- 3/16" x 1-3/4"
Menzner MM-1A
- 3/16" x 2"
Menzner MM-2
- 1/4" x 2"
Menzner MM-2
Ferche F500D **S** O, M

- 1/4" x 3"
Menzner MM-3C
Ferche F500H **S** O, P
- 1/4" x 4"
Menzner MM-4
Ferche F500J
- 1/4" x 5"
Menzner MM-4I
Ferche F500L **S** O, P

- 1/4" x 5-9/16"
Menzner MM-5

- 1/4" x 6"
Menzner MM-6
Ferche500N
- 5/16" x 7"
Menzner MM-7
- 3/16" x 1-1/4"
Menzner MM-10

Oak = O
Hard Maple = M
Pine = P
Poplar = R
Hickory = H

Knotty Alder = KA
Cherry = C
Knotty Pine = KP
Primed Polar = PP


S stock

PANEL MOULDING & CHAIR RAIL


Panel moulding is used to trim out raised-panel wall construction for a decorative look. Chair rail is applied on the wall about 1/3 of the way up from the floor.




3/8" x 3/4"
Menzner M-500



5/8" x 1-1/8"
Menzner M-507



1/2" x 1-1/2"
Menzner M-509



3/4" x 1-3/8"
Menzner M-510
Ferche F724



3/4" x 2"
Menzner M-555
Ferche F721 S O



3/4" x 2-3/16"
Menzner M-502



5/8" x 2-1/2"
Menzner M-504



7/8" x 2-1/2"
Menzner M-501




9/16" x 2-1/2"
Menzner M-508




3/4" x 2-1/2"
Menzner M-519
Ferche F719




11/16" x 1-5/8"
Menzner M-576
Ferche F705




11/16" x 1-5/8"
Menzner M-576R
Ferche F706R




5/8" x 1-3/4"
Menzner M-577
Ferche F707



5/8" x 1-3/4"
Menzner M-577R
Ferche F707R




11/16" x 3"
Menzner M-532 S M
Ferche F722 O



7/8" x 3"
Menzner M-530



1" x 3-1/4"
Menzner M-525




3/4" x 3-1/2"
Menzner M-540



9/16" x 3-3/4"
Menzner M-545

PANEL CAP


Used as a cap for wainscot.



3/4" x 1-1/2"
Menzner MPC-1 S O

MANTEL MOULDING

Decorative moulding used to accentuate the point where the mantel is attached to the fireplace.



7/16" x 1-3/8"
Ferche F746 S O, R



STAIR PARTS




new for 2016




Designing Your Staircase


Your floor plan will determine what staircase type you want to choose: straight, L-shaped and more.




Straight




U-Shaped




L-Shaped



Flared



Winder



Choose from four elements of style:

1. Over-the-post - a continuous handrail over the newels
Post-to-post - handrail is installed to the side of newel's upper block
2. Open tread - exposed treads and risers viewed from the side
Closed tread - hidden treads and risers
3. Solid or false tread or Ascension's QuickTread
4. Starting step and fittings



STOCKBRIDGE newels & balusters

Its simple, clean lines are timeless and elegant; traditional, but not heavy. Unique to this style, Stockbridge is offered in three different versions: smooth, fluted and twisted. Post-to-post newels are acorn top.



HAMPTON newels & balusters

A classic urning with a bit more detail, perfect for a traditional home. Solid, yet refined, it gives your staircase class. Post-to-post newels are ball top (BT); over-the-post, pin top (PT). Ball finial is 3-1/2" high.



BALUSTER 1-3/4" WIDE		NEWEL 3-1/2" WIDE				
ITEM	LENGTH	ITEM	LENGTH	TOP	TURN	BOTTOM
PLAIN						
2005PL	36"	3010PL	44"		27"	16"
2005PL	41"	3013PL	44"		28-3/4"	15-1/4"
2015PL	36"	3015PL	56"		27"	28"
2015PL	41"	3042PL	56"	5"	23'	23"
		3045PL	56"	10"	18"	23"
FLUTED						
2005F	36"	3010F	44"		27"	16"
2005F	41"	3015F	56"		27"	28"
2015F	36"	3042F	56"	5"	23"	23"
2015F	41"	3045F	56"	10"	18"	23"
TWISTED						
2005T	36"	3010T	44"		27'	16"
2005T	41"	3013T	44"		28-3/4"	15-1/4"
2015T	36"	3015T	56"		27"	28"
2015T	41"	3042T	56"	5"	23'	23"
		3045T	56"	10"	18"	23"



BALUSTER 1-1/4" WIDE		NEWEL 3" WIDE				
ITEM	LENGTH	ITEM	LENGTH	TOP	TURN	BOTTOM
PLAIN						
5200	31"	3500PT	48"		22-1/4"	24-3/4"
5200	34"	3513PT	44"		27-3/4"	15"
5200	36"	3500BT	48"	6-1/2"	17-1/4"	20-1/4"
5200	39"	3512BT	54"	6-1/2"	17-1/4"	26-1/4"
5200	41"	3512BT	59"	6-1/2"	17-1/4"	31-1/4"
5205	36"	3515PT	59"		22-1/4"	32-3/4"
5205	41"	3515BT	59"	10"	17-1/4"	27-3/4"
		3516BT	59"	13"	17-1/4"	24-3/4"
1-3/4" WIDE		3-1/2" WIDE				
5005	36"	4500PT	48"		22-1/4"	24-3/4"
5005	41"	4500BT	48"	6-1/2"	17-1/4"	20-1/4"
5300	36"	4512BT	56"	6-1/2"	17-1/4"	28-1/4"
5300	39"	4515BT	56"	10"	17-1/4"	24-3/4"
5300	41"					

call for stocking lengths
Oak = O, Hard Maple = M, Pine = P, Poplar = R, Hickory = H, Knotty Alder = KA, Cherry = C, Knotty Pine = KP, Primed Polar = PP



call for stocking lengths
Oak = O, Hard Maple = M, Pine = P, Poplar = R, Hickory = H, Knotty Alder = KA, Cherry = C, Knotty Pine = KP, Primed Polar = PP



COLONIAL newels & balusters

Colonial is American. Its always in style, and its 1-1/4" width is refined. Post-to-post newels are ball or mushroom top. Newels are available for kneewalls.

5141-31

S

O

5141-34

O

5141-36

5141-39

O

5141-41

5141-31

S

O

5141-34

O

5141-36

5141-39

O

5141-41

5068-31

S

O

5068-35

O

5068-37

5068-39

O

5068--42

4040BT

S

O, M

5045BT

O, M

4010BT

4042MT

O

4040BT

S

O, R

4180B

O

4010PT-43

O

CRAFTSMAN newels & balusters

It offers the simple, honest and natural lines of arts and crafts. It's style is timeless; it's look is strong.

100

S

5060/100

100EE

O, M, PP

5360/200

200

S

O, M, PP, R

4301/300

S

O, M, R

4000/350

O, R

4005B

O

BALUSTER		NEWEL				
1-1/4" WIDE		3" WIDE				
ITEM	LENGTH	ITEM	LENGTH	TOP	TURN	BOTTOM
PLAIN						
5015	31"	4010PT	48"		27"	20"
5015	34"	4013PT	43"		27"	16"
5015	34"	4010BT	48"	5"	23"	16-1/4"
5015	36"	4012BT	54"	5"	23"	22-1/4"
5015	41"	4015PT	59"		27"	31"
5015	43"	4015BT	59"	10"	23"	22-1/4"
5141	31"	4016BT	59"	13"	23"	19-1/4"
5141	43"	4040BT	48"	5"	23"	16-1/4"
5141	36"	4042BT	54"	5"	23"	22-1/4"
5141	39"	4045BT	59"	10"	23"	22-1/4"
5141	41"					
		3-1/2" WIDE				
		4020PT	48"		27"	20"
		4020BT	48"	5"	23"	16-1/4"
		4022BT	56"	5"	23"	24-1/4'
		4025BT	56"	10"	23"	19-1/4"

ITEM	LENGTH	TOP	TURN	BOTTOM
mushroom top newel 3" wide				
4010M	48"		27"	16-1/4"
4012MT	54"	5"	23'	22-1/4"
4015MT	59"	10"	23"	22-1/4"
4040MT	48"	5"	23"	16-1/4"
4042MT	54"	5"	23"	22-1/4"
4045MT	59"	10"	23"	22-1/4"
shorter turning for kneewalls				
4010PTS	43"		20-1/2"	22-1/2"
4010PTS	48"		20-1/2"	26-1/2"
4013PTS	43"		20-1/2"	22-1/2"
4010BTS	43"	5"	17-1/2"	17-3/4"
4010BTS	48"	5"	17-1/2"	21-3/4"
4012BTS	54"	5"	17-1/2"	27-3/4"
4012BTS	59"	5"	17-1/2"	32-3/4'
4015BTS	48"	10"	17-1/2"	16-3/4"
4015BTS	59"	10"	17-1/2"	27-3/4"
4016BTS	48'	13"	17-1/2"	13-3/4"
4016BTS	59"	13"	17-1/2"	24-3/4"



call for stocking lengths
Oak = O, Hard Maple = M, Pine = P, Poplar = R, Hickory = H, Knotty Alder = KA, Cherry = C, Knotty Pine = KP, Primed Polar = PP



call for stocking lengths
Oak = O, Hard Maple = M, Pine = P, Poplar = R, Hickory = H, Knotty Alder = KA, Cherry = C, Knotty Pine = KP, Primed Polar = PP



BOX NEWELS

A box newel dominates the staircase and draws the eye. Solid construction built to form a box, rout a design, apply mouldings and panels.

SOLID construction



962
963
4075
without pedestal

960
961
with pedestal

991PL
4091PL

991RP
raised panel

991F
fluted

991FP
recessed panel

Includes flat caps (peak caps are special order)					
ITEM	WIDTH*	LENGTH	TOP	TURN	BOTTOM
960	4-1/2"	48"	6-1/2"	17-1/4"	21"
961	4-1/2"	56"	6-1/2"	25-1/2"	21"
962	3-1/2"	48"	6-1/2"		38-1/4"
963	3-1/2"	56"	6-1/2"		46-1/4"
includes both caps & mounting block					
991PL	6-1/4"	56"	6-1/2"	25-1/4"	21"
991FP	6-1/4"	56"	6-1/2"	25-1/4"	21"
991RP	6-1/4"	56"	6-1/2"	25-1/4"	21"
991F	6-1/4"	56"	6-1/2"	25-1/4"	21"
optional pedestal for 962/963					
959	4-1/2"	22"			


PL - plain
RP - raised panel
FP - flat panel
F - fluted

*measured at base



TWIST & BASKET iron balusters

The most popular style, it lends itself to a classic combination of single, double and basket designs.




- | | | |
|-------------------------|------|-------|
| single twist | 1/2" | 5/8" |
| double twist | T-02 | 2G-02 |
| single basket | T-03 | 2G-03 |
| double basket | T-04 | 2G-04 |
| butterfly & leaf scroll | T-05 | 2G-05 |
| | T-55 | |



KNUCKLE iron balusters

Uniform length of all iron balusters: 43-3/4", including the 3/4" round top.




- | | | |
|----------------|------|-------|
| single knuckle | 1/2" | 5/8" |
| double knuckle | T-60 | 2G-60 |
| double knuckle | T-61 | 2G-61 |
| single basket | T-62 | |
| double basket | T-56 | |



PLAIN & ZIGZAG iron balusters

Simple and contemporary, and complimented by the warmth of wood newels.




- | | | |
|--------------|------|-------|
| plain | 1/2" | 5/8" |
| plain basket | T-01 | 2G-01 |
| zigzag (zz) | T-18 | |
| heart scroll | T-ZZ | |
| | T-58 | |



RIBBON iron balusters

Uniform length of all iron balusters 43-3/4", including the round top.



- | | | |
|------------------|------|-------|
| single ribbon | 1/2" | 5/8" |
| double ribbon | T-06 | 2G-06 |
| single basket | T-07 | 2G-07 |
| double basket | T-08 | |
| single butterfly | T-09 | |
| double butterfly | T-10 | |
| | T-11 | |



GOTHIC iron balusters

Available in 1/2” thickness only, showcase its elegance.



1/2”
plain T-40
single knuckle T-41
double knuckle T-42
single basket knuckle T-43
single collar T-45
double collar T-46
single basket collar T-47



TUSCAN iron balusters

Hammered edges give a handmade appearance. Available in classic ball, diamond and oval designs.



1/2”
plain T-30
single ball T-31
double ball T-32
s scroll T-36
single diamond T-93
double diamond T-94
single oval T-95
double oval T-96



TAOS iron balusters


The arrows motif recalls America’s southwest heritage with hammered edges.



1/2”
flowers/arrow T-21
split arrows T-22
split arrows with basket T-23




Iron Finishes



ROUND iron balusters

Bears the refined, precise look of a metal lathe. Its 5/8” thickness makes it bold and beautiful. Choose from four styles to create either a contemporary or traditional look.

PLAIN & KNUCKLE		CONTEMPORARY	
single knuckle	2GR-60	single basket/ribbon	2GR-04
double knuckle	2GR-61	double basket/ribbon	2GR-18
basket	2GR-04		
RIBBON		HAMMERED BALL	
single ribbon	2GR-06	single ball & collar	2GR-22
double ribbon	2GR-07	double ball & collar	2GR-23
COLLAR & BASKET			
single collar	2GR-10		
double collar	2GR-20		
basket	2GR-11		




COMBINING STYLES

Create a unique look by combining different baluster designs.

- find inspiration in photos
- combine any styles you like
- set up a repeat pattern
- work within 1 or 2 style families


SCROLL PANEL

A scroll panel is formed by combining two identical scrolls. They adjust to the staircase step. Choose between three sizes and follow four simple steps.



IRON ACCESSORIES

square



straight aluminum SH900 1/2" SH901 1/2"* SD 2G900 5/8"

angle aluminum SH904 1/2" SD SH905 1/2"* 2G904 5/8"

SH906 straight 1/2" aluminum surface-mount


SH800 straight 1/2" aluminum without set screw

SD900 straight 1/2" aluminum with set screw

SD904 angle 1/2" cast iron

KN500 knuckle 1/2" aluminum

round



SD500R straight 1/2" cast iron


SD504R angle 1/2" cast iron

2GR900 straight 5/8" aluminum

2GR904 angle 5/8" aluminum

C1 collar 5/8" round

C2 collar 5/8" round



2G shot plug


T plug

Baljak anchor (more on page 8)

dowel screw plugs

SH - aluminum
SD - cast iron
2G - 5/8" baluster
KN - knuckle
C - collar

FLOOR TRANSITIONS




2000 1/2" x 1-1/2" reducer

2175 7/8" x 1-3/4" reducer

2333 5/8" x 2" SMT moulding

2343 3/4" x 2" LGT moulding

3000 3/8" x 1-1/2" carpet binder




3012 5/16" x 1-1/2" small reducer

3112 5/16" x 2" mini reducer

3122 1/2" x 2" medium reducer

3214 3/4" x 2-1/4" large reducer

3314 7/8" x 2-1/8" large overlap



5112 5/16" x 1-1/2" mini threshold

5120 5/8" x 3-3/8" large threshold



9142 5/8" x 1-5/8" small square nose reducer

9152 5/8" x 2" medium square nose reducer

9172 7/8" x 2" large square nose reducer



spline 1/4" x 1/2"



7037 O, M, R 4" x 5-1/2" oval rosette











7033 O, M, R 4-1/4" x 6" rectangle

7026 O, M 4-3/4" x 4-3/4"

7017 4-1/2" x 4-1/2"

ROSETTES

HANDRAIL & BRACKETS



6010 R, O, M 6010SC O, M 6010P O, M, R 2-1/4" x 2-3/8"

6210 O, M, R 6210P O, M, R 2-5/8" x 2-3/8"








600P O, M 1-9/16" x 2-3/4"

6001P O 1-9/16" x 2-3/4"

6002 O, M 1-9/16" x 2-3/4"

6910 2-5/8" x 2-3/8"

6042 2-1/4" x 1-1/2"



8200 2-5/8" x 2-1/4"

8500 2-5/8" x 2-3/8"






9100 2-1/4" x 2-3/8"

6045 1-1/4" O, M, R 6046 1-3/4" shoerail

6050 1-1/4" 6052 1-3/4" fillet

6004 O, M, R 1-1/4" fillet

6450 O, M, R 1-3/4" fillet



3002HD S

3003 S 3003LA, 3004

3003LA 3004

6045 O, M, R 1-1/4" x 2-1/2" shoerail

3006 S M, R 1-3/4" x 3-1/8" shoerail

6245 S O 1-3/4" x 3" shoerail

model	material	reach	available finish
3002 HD	zinc alloy	2-3/8"	antique brass, bright brass, bright chrome, dull chrome, oil rubbed bronze, satin black, satin nickel, white, rubbed copper
3003	zinc alloy	2-3/4"	antique Brass, bright brass, bright chrome, dull chrome, oil rubbed bronze, satin black, satin nickel, white, rubbed copper
3003LA 3004	zinc alloy solid brass	3-1/8" 2-5/8"	dull chrome, oil rubbed bronze, satin black, satin nickel bright brass, dull chrome, oil rubbed bronze, satin nickel

Oak = O
Hard Maple = M
Poplar = R

stock

badgerlax.com | 73


STARTING FITTINGS



FALSE TREAD



TRANSITION FITTINGS



THREADS & RISERS



STAIR LINEALS



right- & left-hand noted by looking up the stairs

GOOSENECK FITTINGS




handrail & prefix	
6210	72
6910	69
8200	82
8500	85
9100	91
6042	n/a

STARTING STEPS



- handrail prefixes:** add handrail prefix when ordering fittings
- volute:** ascending arm volutes also available in low, medium and high
- gooseneck fittings:** includes one #12, 60° Up Easing, along with connection hardware and plugs, if 1-riser is needed, cut vertical gooseneck to proper length
- starting steps:** other configurations starting steps available on special order





Badger is your one-stop shop for commercial millwork products big and small. Enjoy our dedicated services and choose from a wide selection of high quality materials:

- stocking Hager Hardware, hollow metal frames and steel doors
- standard sizes available with short lead times
- low profile metal vision kits
- fire rated glass available
- hollow metal doors and frames
- commercial closers and exit devices

No cost additional services:

- material list pricing
- project management assistance available (product selection, job site visit/walk-through, value engineering)
- job site delivery with floor specific options

Discover the high-quality products offered by our valued vendors. Let us help you determine the right products for your job.



Rediflex® Adjustable Prefinished Steel Frames
18 or 20 Gauge




Rediflex is an adjustable throat steel door frame designed for interior and exterior applications where varying wall sizes must be accommodated and for prehanging. Residential or light commercial, new or remodeling construction.
4"-5-1/4", 5"-6-1/4", 6"-7-1/4" • 3/0

Rediframe® Fixed Frame Prefinished Steel Frames
18 or 20 Gauge




Rediframe® is a prefinished fixed throat steel door frame designed for interior and exterior applications where the strength of a steel door frame is desired. Especially suited for new construction and light commercial applications.
4-7/8" throat • 2/4, 2/6, 2/8, 2/10, 3/0, 3/6






custom hinge placement is available • deadbolt bore available upon request • 2-3/8" backset available upon request
mortise edge prep (square & radius corner) available upon request

please allow 1/16" variance in placement locations on non-custom doors






MOLDED PANEL DOORS DESIGN & SIZE OPTIONS

PALAZZO SERIES®		PASSAGE												BIFOLDS									
		12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"
	BELLAGIO® (2 ARCHED PANELS)																						
	smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*		*		*		*	*	*	*
	smooth 84"	*	*	*	*	*	*	*	*	*	*	*	*	*		*		*		*	*	*	*
	smooth 96"	*	*	*	*	*	*	*	*	*	*	*	*	*		*		*		*	*	*	*
	CAPRI® (2 SQUARE PANELS)																						
	smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*		*		*		*	*	*	*
	smooth 84"	*	*	*	*	*	*	*	*	*	*	*	*	*		*		*		*	*	*	*
	smooth 96"	*	*	*	*	*	*	*	*	*	*	*	*	*		*		*		*	*	*	*
	TREVISO® (3 PANELS)																						
	smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*		*		*		*	*	*	*
	smooth 84"	*	*	*	*	*	*	*	*	*	*	*	*	*		*		*		*	*	*	*
	smooth 96"	*	*	*	*	*	*	*	*	*	*	*	*	*		*		*		*	*	*	*

*These Palazzo bifolds are shipped as two units.

MASONITE EXPO™	WEST END COLLECTION®															PASSAGE										BIFOLDS																							
			BERKLEY®															HAMEL™												MELROSE®																			
			smooth 80"															smooth 84"												smooth 80"										smooth 84"									
			smooth 80"															smooth 84"												smooth 80"										smooth 84"									
			smooth 80"															smooth 84"												smooth 80"										smooth 84"									
			smooth 80"															smooth 84"												smooth 80"										smooth 84"									
			smooth 80"															smooth 84"												smooth 80"										smooth 84"									
			smooth 80"															smooth 84"												smooth 80"										smooth 84"									
			smooth 80"															smooth 84"												smooth 80"										smooth 84"									
			smooth 80"															smooth 84"												smooth 80"										smooth 84"									
smooth 80"													smooth 84"										smooth 80"										smooth 84"																

HERITAGE® SERIES			PASSAGE												BIFOLDS										
LINCOLN PARK™ (1 PANEL)			12"	14"	15"	16"	18"	20"	24"	26"	28"	30"	32"	34"	36"	18"	24"	28"	30"	32"	36"	48"	60"	72"	
	Commercial 10" Bottom Rail	smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*		*		*		*	*	*	*	
		smooth 84"	*	*	*	*	*	*	*	*	*	*	*	*	*	*		*		*		*	*	*	*
		smooth 96"	*	*	*	*	*	*	*	*	*	*	*	*	*	*		*		*		*	*	*	*
LOGAN™ (2 PANELS)																									
	Commercial 10" Bottom Rail	smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*		*		*		*	*	*	*	
		smooth 84"	*	*	*	*	*	*	*	*	*	*	*	*	*	*		*		*		*	*	*	*
		smooth 96"	*	*	*	*	*	*	*	*	*	*	*	*	*	*		*		*		*	*	*	*
WINSLOW™ (3 PANELS)																									
	Commercial 10" Bottom Rail	smooth 80"	*	*	*	*	*	*	*	*	*	*	*	*	*		*		*		*	*	*	*	
		smooth 84"	*	*	*	*	*	*	*	*	*	*	*	*	*	*		*		*		*	*	*	*

[illegible][illegible][illegible]

*Thinner outer style will not affect functionality. Double doors and bifolds are not recommended. Due to manufacturing processes, a 1/8" tolerance is acceptable on horizontal lines.

Note: 48", 60" & 72" bifolds are achieved by doubled 24", 30" & 36" bifolds.

Molded Panel Series & Masonite Select™ Collection Notes: Please note that some sizes are only available as a result of being trimmed from a larger facing. The trimming process may result in a stile width that is too narrow to accommodate a standard bore. To machine a standard bore with a 2-3/8" backset on the lock hole and a 2-1/8" diameter bore, the outer stile measurements must be no less than 3-7/16" wide. Many facings have a lockrail that will accommodate a standard bore even when the stile width is too narrow. Please refer to Masonite Molded Door Facing Dimensional Specifications to verify the outer stile measurements or contact your Masonite Interior Door servicing plant. Textured refers to embossed wood-grain. Pre-finished white is available textured only. Not all molded panel designs and sizes are available in all regions as stock products. Please check for special order availability. *Molded Panel actually measures 17-13/16".

DESIGN & SIZE OPTIONS

SUPERIOR BUILDING MATERIALS



Lumber • Millwork • Cabinets • Siding • Roofing • AG



After four generations, Badger remains a strong family and employee owned company dedicated to our customers and products. The values of Badger were founded in 1903 and are the same values that guide the company today.

Badger has evolved into a full-line distributor of lumber, interior and exterior millwork, cabinets, flooring, windows, garage doors, roofing, agricultural products and a variety of other quality products perfect for your residential or commercial project.

Badger Corrugating Company
1801 West Avenue South • La Crosse, Wisconsin 54601
P 800.356.8004 F 608.788.1510
badgerlax.com