BADGER

EXTERIOR DOOR SYSTEMS





120 YEARS ANNIVERSARY

BADGER

Providing superior building materials, dedicated customer service, and support since 1903. Badger's commitment is uncompromised, and the materials that we select are of the highest quality in the industry. Discover our exterior door collection and choose from endless combinations of options.





BADGER

4 stain & paint colors

6 how to choose your door

8 Masonite panel doors

12 textured glass

14 craftsman doors

15 decorative glass collection

34 Plastpro panel doors

36 VistaGrande

41 Masonite Performance Door System

42 door cladding

43 system components

44 hardware

46 standard specifications

STAIN & PAINT COLORS

DISCOVER THE PERFECT COLOR

Color collections designed to complement any decor - from modern to traditional, sophisticated to rustic. Capture yours by choosing from a diverse selection of stain and paint options, prefinished for long-lasting vivid colors and to withstand day-to-day active living. Each door is meticulously prefinished by skilled artisans who expertly complete the stain and paint process.

STAIN COLORS


Natural


Gold



Hazelnut


Butterscotch


Nadia


Smoky Nut


Rue


Roasted Brown


Diesel


Taro


Driftwood


Moonshine



DOWN TO EARTH STAIN & PAINT COLORS


Doe



Clay



Earthtone



Nuthatch


Silt


Raven



Steel Sky



Rench Gray


Snowfall


shown on Oak fiberglass


PAINT COLORS



















CUSTOMIZE YOUR COLOR

Can't find the right color? Get the right color with customized color matching available to match almost any sample provided. Our color experts are committed to creating your perfect color. Explore the endless possibilities with Badger.

Due to printing limitations, actual colors may vary slightly from those shown.
Please refer to a color sample for accurate colors. Final product may vary slightly.

PROUDLY FINISHED WITH SHERWIN-WILLIAMS.

HOW TO CHOOSE YOUR DOOR

1 CHOOSE YOUR GLASS


steel 22x48 with 1-panel

DECORATIVE GLASS

STOCK GLASS


Element p15



Naples p16


Marco p17

NEW


Avenue p18


NEW


Brooklyn p19

NEW


Sequence p20

NEW


Ventata p21


NEW


Star p22


Frontier p23


Focus p24


Cruz p25


Kordella p26


Chelsea p27


Alston p28


Cuzco. p29


Rozet p30


Panama p31


Georgian p32


Iron Springs p33


NEW


Pergola p33



TEXTURED GLASS p12


Clear S


Chord


Pear


Pearl


Quill



Double Water

CRAFTSMAN DOORS p14


Element S


Naples S


Marco S


Textures

2 CHOOSE YOUR MATERIAL


FIBERGLASS





Mahogany Oak Smooth

STEEL





HD Steel

VISTAGRADE





Fir Smooth

HERITAGE SERIES





Fir Smooth





PANEL DOORS

STEEL

flush
2/6, 2/8, 3/0 & 3/6 S



2-panel square
3/0 S




Roman 2-panel arch






Roman 2-panel arch plank




Hollister 2-panel
3/0



3-panel arch top
3/0


3-panel craftsman
2/8 & 3/0 S



3-panel equal




4-panel blank top
3/0



6-panel
2/6, 2/8 & 3/0 S



8-panel Parliament



8x64 sidelite S
12" & 14"



8x36 or S
8x48 sidelite
12" & 14"



20 MINUTE FIRE-RATED STEEL DOORS - Any design can be ordered as fire rated. Doors with glass are not fire-rated.

OAK TEXTURED FIBERGLASS



flush
2/8 & 3/0 S



6-panel
2/8 & 3/0
(20min & non 20min) S



flush sidelite
12" & 14" S



2 panel universal
12" S




SMOOTH FIBERGLASS

flush
3/0 S


SMOOTH FIBERGLASS




1-panel shaker
(20min & non 20min) S




2-panel shaker
(20min & non 20min)



Hollister 2-panel
3/0 S



3-panel shaker
(20min & non 20min) S



5-panel shaker
(20min & non 20min) S



6-panel
2/8 & 3/0
(20min & non 20min) S

HERITAGE FIR & SMOOTH & FIBERGLASS



3-panel craftsman smooth
2/8 & 3/0
(20min & non-rated)
3/4 Low-E glass option S



3-panel craftsman fiberglass
2/8 & 3/0
(20min & non-rated)
3/4 Low-E glass option S



craftsman sidelite
12 " & 14"
3/4 Low-E glass option S

VISTAGRANDE



smooth full lite
3/0
Low-E S







smooth 3/4 lite
3/0
Low-E S



flush sidelite
14"
Low-E




20 MINUTE FIRE-RATED FIBERGLASS DOORS - Almost any design can be ordered as fire-rated. In stock, we have the doors listed as 20 min. Doors with glass are not fire-rated.

HERITAGE SERIES FIR TEXTURED



	CRAFTSMAN 3P	CRAFTSMAN 2P	SIDELITE W/ FULL GLASS		CRAFTSMAN SIDELITE
Door material	HFT	HFT	HFT		HFT
6′8″ widths	2′8″, 2′10″, 3′0″	2′8″, 2′10″, 3′0″	1′0″, 1′2″		
8′0″ widths	2′8″, 2′10″, 3′0″	2′8″, 2′10″, 3′0″	1′0″, 1′2″		
Dentil shelf	option shown	option shown			
SDL kit		optional	optional		optional
Glass sizes		217	6′8″ 151	8′0″ 852	617
Marco. 331		•	•	•	•
Frontier. 312		•	•	•	•
Element. 328		•	•	•	•
Naples. 366		•	•	•	•
Focus™ 627		•	•	•	•
Clear Glass 010		•	•	•	•
Heartland™ 322/323		•	•	•	•
Textured glass		•	•	•	•

HERITAGE SERIES SMOOTH




	CRAFTSMAN 3P	CRAFTSMAN 2P	SIDELITE W/ FULL GLASS		CRAFTSMAN SIDELITE
Door material	HGS	HGS	HGS		HGS
6′8″ widths	2′8″, 2′10″, 3′0″	2′8″, 2′10″, 3′0″	1′0″, 1′2″		
8′0″ widths	2′8″, 2′10″, 3′0″	2′8″, 2′10″, 3′0″	1′0″, 1′2″		
Dentil shelf	option shown	option shown			
SDL kit		optional	optional		optional
Glass sizes		217	6′8″ 151	8′0″ 852	617
Marco. 331		•	•	•	•
Frontier. 312		•	•	•	•
Element. 328		•	•	•	•
Naples. 366		•	•	•	•
Focus™ 627		•	•	•	•
Clear Glass 010		•	•	•	•
Heartland™ 322/323		•	•	•	•
Textured glass		•	•	•	•

Heritage Series® Lincoln Park® & Logan® Fir Textured


	Lincoln Park	Logan
Door Material	HFT	HFT
6′8″ Widths	2′8″, 2′10″, 3′0″	2′8″, 2′10″, 3′0″
8′0″ Widths	2′8″, 2′10″, 3′0″	2′8″, 2′10″, 3′0″




Heritage Series® Lincoln Park® & Logan® Smooth

	Lincoln Park	Logan
Door Material	HGS	HGS
6′8″ Widths	2′8″, 2′10″, 3′0″	2′8″, 2′10″, 3′0″
8′0″ Widths	2′8″, 2′10″, 3′0″	2′8″, 2′10″, 3′0″

BELLEVILLE MAHOGANY TEXTURED







	HOLLISTER. 2P	CHEYENNE.‡ 2P PLANK	6P	8P PARLIAMENT	SIDELITE W/ FULL GLASS	SIDELITE W/ 1/2 GLASS	SIDELITE W/ 3/4 GLASS
Door material	BMT	BMT	BMT	BMT	BMT	BMT	BMT
6′8″ widths	2′8″, 2′10″, 3′0″	2′8″, 2′10″, 3′0″	2′8″, 2′10″, 3′0″	2′10″, 3′0″	1′0″, 1′2″	1′0″, 1′2″	1′0″, 1′2″
8′0″ widths	2′8″, 2′10″, 3′0″		2′8″, 2′10″, 3′0″, 3′6″		1′0″, 1′2″	1′0″, 1′2″	1′0″, 1′2″
Glass sizes	122, 304, 404	106, 107	106, 122, 228, 404, 810	203	151, 152, 852	129, 450	151, 450

SPECIES




HFT	Heritage Series. Fir Textured	**HGS**	Heritage Series. Smooth	**BLT**	Belleville. Oak Textured
BLS	Belleville. Smooth	**MHD**	Masonite. HD Steel	**SHD**	Sta-Tru. HD Steel
BMT	Belleville. Mahogany Textured	**BFT**	Belleville. Fir Textured		

BELLEVILLE OAK TEXTURED


	FLUSH	3P ARCH-TOP	4P BLANK-TOP
Door material	BLT	BLT	BLT
6′8″ widths	2′0″, 2′6″, 2′8″, 2′10″, 3′0″	2′8″, 2′10″, 3′0″	2′8″, 2′10″, 3′0″
7′0″ widths	2′0″, 2′6″, 2′8″, 2′10″, 3′0″		
8′0″ widths	2′6″, 2′8″, 2′10″, 3′0″		
Glass sizes	114, 120, 122, 810, 820	304, 404	106, 107, 135, 137, 228




not available in fiberglass, steel only

	6P	SIDELITE W/ FULL GLASS	SIDELITE W/ 3/4 GLASS	SIDELITE W/ 1/2 GLASS
Door material	BLT	BLT	BLT	BLT
6′8″ widths	2′6″†, 2′8″, 2′10″, 3′0″	1′0″, 1′2″	1′0″, 1′2″	1′0″, 1′2″
7′0″ widths	2′8″, 2′10″, 3′0″	1′0″, 1′2″		
8′0″ widths	2′8″, 2′10″, 3′0″	1′0″, 1′2″	1′0″, 1′2″	1′0″, 1′2″
Glass sizes	106, 120, 122, 228, 404, 810	151, 152, 852	151, 450	129, 450




† Features narrow panel layout. *6 panel camber-top features a straight-grain hardwood texture.

BELLEVILLE SMOOTH

	FLUSH	2P SQUARE	2P HOLLISTER	CHEYENNE, 2P PLANK
Door material	BLS	BLS	BLS	BLS
6′8″ widths	2′0″, 2′6″, 2′8″, 2′10″, 3′0″	2′8″, 2′10″, 3′0″	2′8″, 2′10″, 3′0″	2′8″, 2′10″, 3′0″
7′0″ widths	2′0″, 2′6″, 2′8″, 2′10″, 3′0″			
8′0″ widths	2′0″, 2′6″, 2′8″, 2′10″, 3′0″	2′8″, 2′10″, 3′0″	2′8″, 2′10″, 3′0″	2′8″, 2′10″, 3′0″
Glass sizes	114, 120, 122, 300, 810, 820	106, 404	122, 304, 404	106, 107, 404

*must have glass



	4P BLANK-TOP	6P	SL W/ FULL GLASS	SL W/ 3/4 GLASS	SL W/ 1/2 GLASS
Door material	BLS	BLS	BLS	BLS	BLS
6′8″ widths	2′8″, 2′10″, 3′0″	2′6″†, 2′8″, 2′10″, 3′0″	10″, 1′0″, 1′2″	1′0″, 1′2″	1′0″, 1′2″
7′0″ widths		2′8″, 2′10″, 3′0″	1′0″, 1′2″		
8′0″ widths		2′6″†, 2′8″, 2′10″, 3′0″	1′0″, 1′2″	1′0″, 1′2″	1′0″, 1′2″
Glass sizes	106, 107, 135, 137, 228	106, 120, 122, 228, 404, 682, 810	151, 152, 155, 852	151, 450	129, 450

† Features narrow panel layout. *6 panel camber-top features a straight-grain hardwood texture.

TEXTURED GLASS



Clear



Chord 115



Pear 116



Pearl 140




Quill 119




Double Water 113

quick ship for non-stock glass




106	122	215	217	228	404	682	129
22x36	22x64	22x16	22x17	22x10	22x48	8x8	8x36




151	152	450	615	617	810	852
8x64	7x64	8x48	8x16	8x17	22x80	8x80

SQUARE LITES



682	682	682	682	682	682	682	682	682	682	682	682
8x8	8x8	8x8	8x8	8x8	8x8	8x8	8x8	8x8	8x8	8x8	8x8

DIAMOND LITES




682	682	682	682	682	682	682	682	682
8x8	8x8	8x8	8x8	8x8	8x8	8x8	8x8	8x8

EQUAL LITES



217	228	228
22x17	22x10	22x10


VERTICAL LITES




151 8x64 152 7x64	151 8x64 152 7x64	151 8x64 152 7x64	151 8x64 152 7x64	852 8x80	852 8x80	852 8x80



Oak textured fiberglass 22x64 lite S



steel 22x17 lite Livingston



steel 22x36 lite 2-panel square



Mahogany textured fiberglass 22x48 lite with 1-panel // Mahogany textured fiberglass sidelite 8x48 glass with 1-panel

steel with 3-lite equal



Oak textured 1 rectangle lite right side with Clear glass S



HD steel 3-lite square right side with Chord glass



HD steel 3-lite right side diamond with Quill glass



Oak textured 4-lite equal with Pear glass

CRAFTSMAN DOORS


3-lite & 6-lite SDL Fir S



3-lite & 6-lite SDL smooth S


Applied SDL Fir


Applied SDL smooth


HFT / Heritage Series Fir textured


Naples S


Marco S



Element S


HGS / Heritage Series smooth


Focus


Frontier


Sequence


Avenue


Clear S


Chord


Pear


Pearl


Quill


Double Water




Fir textured with Clear glass & dentil shelf S


smooth with Double Water glass & applied 6-lite SDL with dentil shelf S


3-panel craftsman smooth & applied 3-lite SDL 2/8 & 3/0 S



smooth with Element glass & dentil shelf S


Plastpro


Fir direct glazed


Plastpro

Fir 3-panel shaker 20-minute fire rated S


Plastpro

smooth direct glazed


Plastpro

smooth 3-panel shaker 20-minute fire rated S

ELEMENT glass

STOCK

antique black (328) or platinum caming (327) • privacy rating 5







	106 22x36	107CT 22x37-1/2	20x64	122 22x64	137CT 22x10	217 22x17	217 22x17	404 22x48	129 8x36
327	•							•	•
328	•	•	•	•	•	•	•	•	•
	S			S		S			S

	151 8x64	152 7x64	450 8x48	617 8x17	810 22x80	852 8x80	S	T
327			•					
328	•	•	•	•	•	•	•	•
	S							



steel 22x48 lite with 1-panellf // steel sidelite 8x48 lite with 1-panel



Mahogany textured fiberglass
22x64 lite



steel 22x37-1/2 lite
with 1-panel plank



smooth fiberglass 22x17 lite 2-panel
with dentil shelf



steel 22x36 lite with 1-panel S

NAPLES glass


antique black caming • privacy rating 6

STOCK






quick ship for non-stock glass



106 22x36	122 22x64	203 8x42	217 22x17	217 22x17 S	228 22x10	404 22x48	129 8x36	151 8x64 S




152 7x64	450 8x48	617 8x17	810 22x80	852 8x80	T




steel 22x64 lite




Oak textured fiberglass 22x64 lite S



steel 22x48 lite with 2-panel steel sidelite 8x48 glass with 1-panel S S



steel 22x36 lite with 1-panel S



steel 22x17 lite with 3-panel S


MARCO glass

antique black caming • privacy rating 4

STOCK










smooth fiberglass 22x17 lite 2-panel with dentil shelf // smooth fiberglass sidelite 8x17 lite with 1-panel



Mahogany textured fiberglass
22x48 lite with 1-panel



steel 3-equal 22x17 lite S



steel 22x48 lite with 1-panel S



Fir textured fiberglass 22x17 lite S
2-panel with dentil shelf
Fir textured fiberglass sidelite 8x17 glass 1-panel S


NEW

AVENUE glass

wrought iron caming • privacy rating 9









Oak textured 22x17 lite with 1-panel



Oak textured 22x64 lite



Oak textured fiberglass 22x36 with 1-panel



Oak textured fiberglass 22x36 with 1-panel





Mahogany textured fiberglass 22x17 lite with 2-panel


NEW

BROOKLYN glass

wrought iron caming • privacy rating 9







106	122	404	151	152	450
22x36	22x64	22x48	8x64	7x64	8x48




fir textured 22x48 lite with 1-panel



Oak textured 22x64 lite



Oak textured fiberglass 22x36 with 2-panel



steel 22x36 lite with 1-panel



Mahogany textured fiberglass 22x48 lite with 1-panel


NEW

SEQUENCE glass

antique black or platinum caming • privacy rating 6









fir textured 22x36 lite with 2-panel



Oak textured 22x64 lite



Oak textured 22x48 lite with 1-panel



Oak textured 22x36 with 2-panel




smooth fiberglass with 22x17 lite 2-panel & dentil shelf


NEW

VENTATA glass

antique black caming • privacy rating 8









steel 22x48 lite with 1-panel // 8x48 sidelites with 1-panel



Mahogany textured fiberglass
22x48 lite with 1-panel



steel 22x36 lite with 1-panel



steel 22x64 lite





steel 22x36 lite with 1-panel plank


NEW

STAR glass

antique black or platinum caming • privacy rating 5











steel 22x36 lite with 2-panel



steel 22x36 lite with 1-panel



Mahogany textured fiberglass 22x64 lite




steel 22x64 lite



Mahogany textured fiberglass 22x48 lite with 1-panel


FRONTIER glass

antique black caming • privacy rating 4






quick ship for non-stock glass




106	217	217	228	404
22x36	22x17	22x17	22x10	22x48



129	151	152	450
8x36	8x64	7x64	8x48



Mahogany textured fiberglass 22x48 with 1-panel // Mahogany textured fiberglass sidelite 8x48 lite with 1-panel



steel 22x36 lite with 1-panel



Fir textured fiberglass 22x17 lite
with 2-panel & dentil shelf
Fir textured fiberglass sidelite 8x17 lite with 1-panel



steel 22x48 lite with 2-panel




Mahogany textured fiberglass
22x10 lite with 4-panel

FOCUS glass


platinum caming • privacy rating 5







106	122	217	217	228	404	129	151
22x36	22x64	22x17	22x17	22x10	22x48	8x36	8x64



T-627



smooth fiberglass craftsman with 22x17 lite 2-panel



smooth fiberglass with 22x17 lite 2-panel & dentil shelf



Mahogany textured fiberglass 22x10 lite with 4-panel



steel 22x36 lite with 1-panel




smooth fiberglass 22x64 lite // smooth fiberglass sidelite 7x64 lite


CRUZ glass

antique black caming • privacy rating 8












steel 22x64 full lite



steel 22x36 lite with 1-panel plank



Mahogany textured fiberglass 22x48 lite with 1-panel




steel 22x48 lite with 2-panel



Oak textured fiberglass 22x64 lite // Oak textured fiberglass sidelite 7x64 lite


KORDELLA glass

antique black caming • privacy rating 8





quick ship for non-stock glass



106	122	404	151	152	450	810	852
22x36	22x64	22x48	8x64	7x64	8x48	22x80	8x80



smooth Fiberglass 22x64 lite



Mahogany textured fiberglass
22x48 lite with 1-panel



steel 22x36 lite with 1-panel



steel 22x64 lite // steel sidelite 8x64 glass




Oak textured fiberglass 22x10 lite
with 4-panel

CHELSEA glass

antique black caming • privacy rating 3







122	404	151	152	450	810	852
22x64	22x48	8x64	7x64	8x48	22x80	8x80



smooth Fiberglass 22x48 lite with 1-panel



steel 22x64 lite



Mahogany textured fiberglass 22x64 lite //
Mahogany textured fiberglass sidelite
8x64 glass



smooth fiberglass 22x48 lite with
1-panel





steel 22x48 lite with 2-panel

ALSTON glass

antique black caming • privacy rating 9









steel 22x48 lite with 1-panel



Oak textured fiberglass 22x64 lite



steel 22x36 lite with 1-panel



Oak textured fiberglass 22x36 with 2-panel





steel 16x40 oval with 2-panel archtop // steel 8x48 glass with 1-panel

CUZCO glass

antique black caming • privacy rating 7







106	122	404	151	152	450
22x36	22x64	22x48	8x64	7x64	8x48



Fir textured 22x64 lite




Oak textured fiberglass 22x64 lite



steel 22x36 lite with 1-panel plank



Oak textured fiberglass 22x36 lite with 2-panel //
Oak textured fiberglass sidelite 8x64 lite



steel 22x48 lite with 1-panel


ROZET glass

antique black caming • privacy rating 5






quick ship for non-stock glass




106	122	137	304	404	151
22x36	22x64	22x10	16x40	22x48	8x64



152	450	T
7x64	8x48	



steel 22x36 lite with 1-panel // steel sidelite 8x36 glass with 1-panel



steel 22x64 lite



Oak textured fiberglass 22x36 lite with 2-panel



Mahogany textured fiberglass 16x40 oval glass with 2-panel // Mahogany textured fiberglass sidelite 8x64 glass



Oak textured fiberglass 22x10 camber lite with 4-panel


PANAMA glass

platinum (725) caming • privacy rating 4





quick ship for non-stock glass





steel 22x64 lite // steel sidelite 8x64 lite



steel 22x48 lite with 1-panel // steel sidelite 8x48 lite with 1-panel



smooth fiberglass 22x36 lite with 1-panel plank



Mahogany textured fiberglass 22x64 lite



Oak textured fiberglass 22x64 lite

GEORGIAN glass


platinum (517) or brass (515) caming • privacy rating 3

quick ship for non-stock glass

	106 22x36	300 20x57	304 16x40	404 22x48
517	•	•	•	•
515	•	•	•	•

	129 8x36	151 8x64	152 7x64	450 8x48
517	•	•	•	•
515	•		•	•

	C	S	E	T	C38
646	•	•	•	•	•









Mahogany textured fiberglass 16x40 oval with 2-panel



Mahogany textured Fiberglass 22x48 lite with 1-panel



steel 22x36 lite with 1-panel



steel 22x36lite with 1-panel plank



steel 16x40 oval lite with 3-panel arch


IRON SPRINGS & PERGOLA glass


privacy rating 9





quick ship for non-stock glass









steel 22x64 lite



Oak textured fiberglass 22x36 lite with 2-panel



steel 22x36 lite with 1-panel



mahogany textured fiberglass 22x64 lite

plastpro® PANEL DOORS




Oak


Mahogany



Modern Teak



Rustic


Smooth

True White Oak


1-panel shaker (20min & non 20min) S


2-panel shaker (20min & non 20min)



5-panel shaker (20min & non 20min) S


Nova 90 direct glazed LowE


Nova 90 3/4 direct glazed LowE

flush


smooth 2-panel


3-panel craftsman


True White Oak 4-panel


6 panel



Mahogany 6-panel



Oak 6-panel



rustic 1-panel square plank square top



rustic 2-panel arch plank square top



rustic 2-panel square panel



modern carved oak Napoli

VISTAGRANDE CLEAR GLASS







VISTAGRANDE CLEAR GLASS

VISTAGRANDE FIR TEXTURED FLUSH-GLAZED DOORS / CLEAR GLASS



VFT
Textured
Fiberglass



S









S

VISTAGRANDE SMOOTH FLUSH-GLAZED DOORS / CLEAR GLASS

VSG
Smooth
Fiberglass




S



S



S



S

6'8"	114-010-X	120-010-X	122-010-X	404-010-1	420-010-1	426-010-1	926-010-X	152-010-X	450-010-1	7'0"	726-010-X	7'6"	626-010-X
VFT	•	•	•	• S	•	•	•	•	• S				
VSG	• S	•	•	• S	•	•	• S	•	• S		•		•

8'0"	120-010-1	122-010-1	810-010-X	814-010-X	820-010-X	826-010-X	926-010-1	151-010-1	852-010-X
VFT	•	•	•	•	•	•	•	•	•
VSG	•	•	•	•	•	•	•	•	•

Please specify door height when ordering.

VISTAGRANDE TEXTURES

VISTAGRANDE® FIR TEXTURED FLUSH-GLAZED DOORS / SHOWN WITH PEARL® GLASS



VFT
Textured
Fiberglass









VISTAGRANDE® SMOOTH FLUSH-GLAZED DOORS / SHOWN WITH PEARL® GLASS

VSG
Smooth
Fiberglass











6'8"



	114-X	120-X	122-X	404-1	420-1	426-1	926-X	152-X	450-1
Chord	114-115-X	120-115-X	122-115-X	404-115-1	420-115-1	426-115-1	926-115-X	152-115-X	450-115-1
Cross Reed	114-118-X	120-118-X	122-118-X	404-118-1	420-118-1	426-118-1	926-118-X	152-118-X	450-118-1
Double Water	114-113-X	120-113-X	122-113-X	404-113-1	420-113-1	426-113-1	926-113-X	152-113-X	450-113-1
Pear	114-116-X	120-116-X	122-116-X	404-116-1	420-116-1	426-116-1	926-116-X	152-116-X	450-116-1
Pearl®	114-140-X	120-140-X	122-140-X	404-140-1	420-140-1	426-140-1	926-140-X	152-140-X	450-140-1
Quill®	114-119-X	120-119-X	122-119-X	404-119-1	420-119-1	426-119-1	926-119-X	152-119-X	450-119-1
VFT	•	•	•	•	•	•	•	•	•
VSG	•	•	•	•	•	•	•	•	•

8'0"



	120-1	122-1	926-1	810-X	814-X	820-X	826-X	151-1	852-X
Chord	120-115-1	122-115-1	926-115-1	810-115-X	814-115-X	820-115-X	826-115-X	151-115-1	852-115-X
Cross Reed	120-118-1	122-118-1	926-118-1	810-118-X	814-118-X	820-118-X	826-118-X	151-118-1	852-118-X
Double Water	120-113-1	122-113-1	926-113-1	810-113-X	814-113-X	820-113-X	826-113-X	151-113-1	852-113-X
Pear	120-116-1	122-116-1	926-116-1	810-116-X	814-116-X	820-116-X	826-116-X	151-116-1	852-116-X
Pearl®	120-140-1	122-140-1	926-140-1	810-140-X	814-140-X	820-140-X	826-140-X	151-140-1	852-140-X
Quill®	120-119-1	122-119-1	926-119-1	810-119-X	814-119-X	820-119-X	826-119-X	151-119-1	852-119-X
VFT	•	•	•	•	•	•	•	•	•
VSG	•	•	•	•	•	•	•	•	•

VISTAGRANDE SDLS

VISTAGRANDE® FIR TEXTURED / SMOOTH FLUSH-GLAZED DOORS / SDLs



VFT
Textured
Fiberglass



Applied 4 Lite
3-1/2" Bars
S



Applied 4 Lite



Applied 4 Lite
Craftsman Grid
S



Applied 6 Lite



Applied 8 Lite



Applied 9 Lite
Prairie



Applied 10 Lite



Applied 15 Lite

VISTAGRANDE® FIR TEXTURED / SMOOTH FLUSH-GLAZED DOORS / SDLs

VSG
Smooth
Fiberglass



Applied 4 Lite
3-1/2" Bars
S



Applied 4 Lite



Applied 4 Lite
Craftsman
S



Applied 6 Lite



Applied 8 Lite



Applied 9 Lite
Prairie Grid




Applied 10 Lite




Applied 15 Lite

PRAIRIE GRIDS




	6'8"									8'0"								
	404-S09P-1	420-S09P-1	426-S09P-1	120-S09P-X	122-S09P-X	926-S09P-X	152-S06P-X	450-S06P-1		120-S09P-1	122-S09P-1	810-S09P-X	820-S09P-X	826-S09P-X	926-S09P-1	151-S06P-1	852-S06P-X
VFT	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•
VSG	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•

3-1/2" BARS



	6'8"								
	114-S04W-X	120-S04W-X	122-S04W-X	404-S03W-1	420-S03W-1	426-S03W-1	926-S04W-X	152-S04W-X	450-S03W-1
VFT	•	•	•	•	•	•	• S	•	•
VSG	•	•	•	•	•	•	• S	•	•

CRAFTSMAN GRIDS



	6'8"															
	114-S03C-X	120-S03C-X	120-S04C-X	122-S03C-X	122-S04C-X	926-S03C-X	926-S04C-X	404-S03C-1	404-S04C-1	420-S03C-1	420-S04C-1	426-S03C-1	426-S04C-1	152-S03C-X	450-S03C-1
VFT	•	•	•	•	•	•	• S	•	•	•	•	•	•	•	•
VSG	•	•	•	•	•	•	• S	•	•	•	•	•	•	•	•

VISTAGRANDE MINI BLINDS

VISTAGRANDE FIR TEXTURED FLUSH-GLAZED DOORS / RAISE, LOWER & TILT MINI BLINDS



VFT
Textured
Fiberglass



VFT-B122-01RL-1



VFT-B926-01RL-X VFT-B926-01RL-1



VFT5L-B151-01RL-1



VFT5L-B151-01RL-X VFT5L-B852-01RL-X

VISTAGRANDE® SMOOTH FLUSH-GLAZED DOORS / RAISE, LOWER & TILT MINI BLINDS

VSG
Smooth
Fiberglass



VSG-B926-01RL-X VSG-B926-01RL-1



VSG5L-B151-01RL-1



VSG5L-B151-01RL-X VSG5L-B852-01RL-X

	6'8"				8'0"					
	120-X	122-X	926-X	152-X	810-X	820-X	826-X	926-1	151-1	852-X
	B120-01RL-X	B122-01RL-X	B926-01RL-X	B152-01RL-X	B810-01RL-X	B820-01RL-X	B826-01RL-X	B926-01RL-1	B151-01RL-1	B852-01RL-X
VFT	•	•	•	•	•	•	•	•	•	•
VSG	•	•	•	•	•	•	•	•	•	•

- All sizes feature raise, lower and tilt functionality
- Security channels provide full privacy preventing light gaps when closed (no side or bottom gaps)
- Frame fits tight to glass—no large gaps
- Spacer bars not visible in sightline of frame
- Smoother, easier and more versatile dual-mechanism operation
- 80" and 96" sidelites available
- Tan slat mini blinds now available in VistaGrande® Fir Textured
- Soft coat LE option for ENERGY STAR® compliance

Please specify door height and mini blind color when ordering. / Mini blinds are available in white (VSG) and tan (VFT) slat colors.

MASONITE PERFORMANCE DOOR SYSTEM



The Masonite® Performance Door System was designed to do what doors are meant to do — keep the outside out and the inside in — but do it better than any before.

64%

better at keeping air and water out


than the leading competitor

NEXT-LEVEL PERFORMANCE, THE 4-POINT PERFORMANCE SEAL:

1. **SQUARE EDGE DOOR**
2. **ENDURA PE650 WEATHERSTRIPPING**
3. **ENDURA SIMPLE SOLUTION® CORNER PADS**
4. **ENDURA Z-ARTICULATING CAP SILL™**

PROVEN IN 3RD PARTY TESTING

SCAN TO LEARN MORE



TEST: ASTM E331 WATER PENETRATION OF EXTERIOR DOORS BY UNIFORM STATIC AIR PRESSURE DIFFERENCE

This system is applicable to Fiberglass doors only.

WHY CLADDING?


A LIFETOME SOLUTION TO NO MORE PAINTING




ALUMINUM EXTERIOR DOOR CLADDING

- With virtually the entire home being maintenance-free, why would you want to paint your exterior door openings?
- clad frame system offer a variety of colors that will never require painting
- available in five nosing profiles
- heavy duty .062 extruded aluminum which will not dent or wave
- no exposed fasteners
- brickmold and crownline casing is storm door ready
- limited lifetime warranty


FrontLine® Bldg. Products Inc.
Member of the Bay Family of Companies



crownline casing S



brickmould casing S



outswing S
White & black in stock



AVAILABLE COLORS

White S	Eggshell	Almond	Beige	Sandstone S	Terratone
Artic Silver	Green	Wineberry	Bahama Brown	Iron Ore	Bronze S	Black S

custom colors are also available

ALUMINUM GARAGE DOOR FRAMES


90° & 45° FRAMES FEATURES


- .062 (16 gauge) extruded aluminum for strength and durability - with composite backer
- heavy-duty steel corner gussets for perfectly mitered corners
- no wood in frames means no rot, no water wicking, no warping, and no bug infestation
- optional 3-1/2" flat casing and J-mould (both field applied)
- complements the FrontLine entry door cladding system along with your vinyl or clad windows
- limited Lifetime Warranty

AVAILABLE COLORS

White S | Eggshell | Almond | Beige | Sandstone | Terratone

Artic Silver | Green | Wineberry | Bahama Brown | Iron Ore | Bronze | Black S





COMPOSITE DOOR JAMBS

- limited lifetime warranty against ground rot, decay and insect damage
- superior paint and stain adhesion
- long-lasting durability and incredible strength
- available in 4-9/16" and 6-9/16"

smooth | woodgrain composite stain grade



SELF-ADJUSTING DOOR SILLS

- provides a tight seal against moisture and wind
- PVC woodgrain adjustable riser available in oak and walnut

AVAILABLE FINISHES INSWING

Mill Finish S | Bronze/ Walnut S | ADA Threshold *mill only S

AVAILABLE FINISHES OUTSWING

ADA Threshold S
*mill only
no adjustable riser



ASTRAGALS

- seals against air and moisture between double doors
- adjustable strike and deadbolt

AVAILABLE FINISHES

Oak S | White paintable S


HARDWARE

PANOLOCK SYSTEM

PanoLock is the first and only multi-point lock that works with a wide variety of off-the-shelf hardware, bringing affordable security and performance to every entry door.

- **NO HARDWARE CONSTRAINTS** - PanoLock's adapters allow the use of most off -the-shelf hardware.
- **THREE TIMES STRONGER** - PanoLock off ers all the strength and security of a traditional multi-point locking system.
- **ENHANCED PERFORMANCE** - Equipped with two tapered locks, PanoLock provides enhanced performance while reducing operation force.
- **ULTIMATE SECURITY** - PanoLock features roller strike plates equipped with extra anchor screws enhancing security.
- **FLEXIBILITY** - PanoLock can be used for both inswing and outswing.





A. Tapered bolt. Unlike other locks that tend to catch, PanoLock's tapered bolts engage easily, even when the door is out of alignment.

B. Adjustable roller strike. Rollers lower operating force and allow the tapered bolt to gently snug the door panel against the weatherstrip.

Faceplate Finishes


Bronze Anodized


Brushed Clear Anodized

Sizes

6/8
8/0

Adjustable Strike Plate Finishes



Victorian Bronze


Satin Nickel



Bright Brass


Black



Stainless Steel







PanoLock adapter.



Thumb press, lever or knob. PanoLock works with every style of handleset.



BALL BEARING HINGES

- ball bearing hinges provide a smooth quiet close without hinge dust accumulating
- spring hinge available

AVAILABLE FINISHES



Antique Brass S | Bright Brass S | Yellow Zinc S | Satin Nickel S | Dull Chrome S

Antique Nickel S | Stainless Steel S | Polished Chrome | Colonial Bronze S | Matte Black S

LEVERS & KNOBS

From traditional to contemporary, choose from various designs and finishes to match your style. Various lever and knobs available in passage, privacy, dummy pulls and entry.

LEVERS



Sacramento | Avila | Latitude with Collins | Flair with Addison

KNOBS



Bowery with Upland | Plymouth | Orbit | Andover with Addison

OUTSIDE HANDLE SETS




Plymouth | Camelot | Century

STOCK LEVERS, KNOBS & KEYPADS



Accent 619, 609, 716 S | Latitude 622, 619 S | Merano 619, 622, 716 S | Georgian 619, 716 S

AVAILABLE FINISHES



505 / 605 Bright Brass | 609 Antique Brass | 613 Oil Rubbed Bronze | 619 Satin Nickel | 620 Antique Pewter



621 Distressed Nickel | 622 Matte Black | 625 Bright Chrome | 626 Satin Chrome | 716 Aged Bronze

SCHLAGE

Due to printing limitations, actual colors may vary slightly from those shown. Please refer to a color sample for accurate colors. Final product may vary slightly.

SCHLAGE SENSE SMART DEADBOLT

Your iPhone just became your new key. Get access to your home from your front porch or your pocket.

SCHLAGE CONNECT

Combining advanced features and compatibility with your home automation system, this door lock allows you to control your home from anywhere.

SCHLAGE TOUCH

If you're a homeowner with an active lifestyle, then Schlage Touch can help simplify your day by eliminating the hassle of keys entirely.



STANDARD SPECIFICATIONS

ROUGH OPENING WIDTHS (wood stud)							
DOOR SIZE	2'6"	2'8"	2'10"	3'0"	5'0"	5'4"	6'0"
primed jamb (Door Only)	32-1/4	34-1/4	36-1/4	38-1/4	62-3/4	66-3/4	74-3/4
with standard cladding	32-1/4	34-1/4	36-1/4	38-1/4	62-3/4	66-3/4	74-3/4
outswing with standard cladding	32-1/2	34-1/2	36-1/2	38-1/2	63-1/4	67-1/4	75-1/4
door with 1-12" sidelite	45-3/4	47-3/4	49-3/4	51-3/4	76-1/4	80-1/4	88-1/4
with standard cladding	45-3/4	47-3/4	49-3/4	51-3/4	76-1/4	80-1/4	88-1/4
outswing with standard cladding	47-1/4	49-1/4	51-1/4	53-1/4	78-1/4	81-3/4	89-3/4
door with 2-12" sidelites	59-1/4	61-1/4	63-1/4	65-1/4	89-3/4	93-3/4	101-3/4
with standard cladding	59-1/4	61-1/4	63-1/4	65-1/4	89-3/4	93-3/4	101-3/4
outswing with standard cladding	62	64	66	68	92-9/16	96-9/16	104-9/16
door with 1-14" sidelite	47-3/4	49-3/4	51-3/4	53-3/4	78-1/4	82-1/4	90-1/4
with standard cladding	47-3/4	49-3/4	51-3/4	53-3/4	78-1/4	82-1/4	90-1/4
outswing with standard cladding	49-1/4	51-1/4	53-1/4	55-1/4	79-3/4	83-3/4	90-3/4
door with 2-14" sidelites	63-1/4	64-1/4	66-1/4	69-1/4	93-3/4	97-3/4	105-3/4
with standard cladding	63-1/4	64-1/4	66-1/4	69-1/4	93-3/4	97-3/4	105-3/4
outswing with standard cladding	66	68	70	72	96-9/16	100-9/16	108-9/16

ROUGH OPENING HEIGHTS

standard threshold inswing = 82-1/4" outswing = 81-1/2"
handicap threshold inswing = 81-3/8" outswing = 81-1/4"

DOOR UNIT SIZE							
	width = rough opening - 11/16" height = rough opening - 1/2"						
DOOR SIZE	2'6"	2'8"	2'10"	3'0"	5'0"	5'4"	6'0"
primed jamb (door only)	31-1/2	33-1/2	35-1/2	37-1/2	62	66	74
with Standard Cladding	31-1/2	33-1/2	35-1/2	37-1/2	62	66	74
outswing with standard cladding	31-3/4	33-3/4	35-3/4	37-3/4	62-1/2	66-1/2	74-1/2
door with 1-12" sidelite	45	47	49	51	75-1/2	79-1/2	87-1/2
with standard cladding	45	47	49	51	75-1/2	79-1/2	87-1/2
outswing with standard cladding	46-1/2	48-1/2	50-1/2	52-1/2	77-1/2	81	89
door with 2-12" sidelites	58-1/2	60-1/2	62-1/2	64-1/2	89	93	101
with standard cladding	58-1/2	60-1/2	62-1/2	64-1/2	89	93	101
outswing with standard cladding	61-1/4	63-1/4	65-1/4	67-1/4	91-3/4	95-3/4	103-3/4
door with 1-14" sidelite	47	49	51	53	77-1/2	81-1/2	89-1/2
with standard cladding	47	49	51	53	77-1/2	81-1/2	89-1/2
outswing with standard cladding	48-1/2	50-1/2	52-1/2	54-1/2	79	83	90
door with 2-14" sidelites	62-1/2	63-1/2	65-1/2	68-1/2	93	97	105
with standard cladding	62-1/2	63-1/2	65-1/2	68-1/2	93	97	105
outswing with standard cladding	65-1/4	67-1/4	69-1/4	71-1/4	95-3/4	99-3/4	107-3/4


UNIT OPENING HEIGHTS

Height = rough opening - 1/2"

outside of brickmould to outside of brickmould width = unit size + 2-1/2" height = unit size + 1-1/4"
outside of inswing glad to outside of inswing clad width = unit size + 1" height = unit size + 1/2"
outside of outswing clad to outside of outswing clad width = unit size + 1/2" height = unit size + 1/4"

DOOR HANDING


Inswing



left hand — right hand

standing on the outside of the building

Outswing



right hand — left hand

standing on the outside of the building

Single Doors



left-hand inswing — right-hand inswing

Single Doors



right-hand outswing — left-hand outswing

Single Doors with Left-Hand Sidelite



exterior left-hand hinge side — exterior right-hand lock side

Single Doors with Left-Hand Sidelite



exterior right-hand hinge side — exterior left-hand lock side

Single Doors with Right-Hand Sidelite



exterior left-hand lock side — exterior right-hand hinge side

Single Doors with Right-Hand Sidelite



exterior right-hand lock side — exterior left-hand hinge side

Single Doors with Double Sidelite




exterior left-hand inswing — exterior right-hand inswing

Single Doors with Double Sidelite




exterior right-hand outswing — exterior left-hand outswing

Double Doors




exterior left-hand inswing — exterior right-hand inswing

Double Doors



exterior right-hand outswing — exterior left-hand outswing

STANDARD HARDWARE LOCATION



HINGE LOCATION					
Nominal Panel Height	Top Hinge Location	2nd Hinge Location	3rd Hinge Location	4th Hinge Location	Bottom
6'8"	6-1/2"	37-1/2"	68-1/2"	N/A	10-1/2"
8'0"	6-1/2"	32-1/2"	58-1/2"	84-1/2"	10-1/2"

LOCK LOCATION		
Nominal Panel Height	Lock Location	Deadbolt C/L
6'8"	45-7/8"	5-1/2"
8'0"	61-7/8"	5-1/2" or 10-1/2"



BADGER

design your dream door

badgerlax.com • 608.788.0100